



# FACT SHEET

## Biosecurity



Biosecurity is a set of preventive measures designed to reduce the spread of infectious diseases. This includes procedures such as surveillance, isolation and quarantine, movement restrictions, avoidance of potentially contaminated areas, reduction of animal contact, cleaning and disinfection and improving greyhound health through treatment and vaccination.

### WHY IS BIOSECURITY IMPORTANT TO THE INDUSTRY?

An outbreak of an infectious disease in the greyhound population has the potential for serious consequences. It may have implications for the health and welfare of the greyhounds as well as repercussions for the trainers, owners, punters and regulatory bodies and cause significant interruption of the racing program.

In greyhound kennels, the most common infectious outbreaks are Kennel Cough and gastroenteritis.

While fatalities are rare, outbreaks can result in illness in a large number of greyhounds, leading to the temporary closure of racing or significant reductions in the available racing population.

Puppies and older, retired greyhounds, are especially at risk of more serious illness and even death.

### WHAT IS MY ROLE IN BIOSECURITY?

Greyhound trainers, breeders and owners have a role in almost every aspect of biosecurity including:

1. Surveillance
2. Isolation and quarantine
3. Cleaning and disinfection
4. Protection of at risk greyhounds

### WHAT IS SURVEILLANCE?

Surveillance means monitoring greyhounds for signs of infectious disease.

Prompt identification and response to cases of disease can help minimise transmission to other greyhounds in both yours and other kennels.

As a participant, you should ensure you have a good understanding of different infectious diseases and when to seek veterinary attention. All cases of suspected infectious disease should be confirmed by testing at a veterinarian.





# FACT SHEET

## Biosecurity



### WHAT IF THERE'S AN OUTBREAK?

If you are aware of an outbreak in your area, all kennel staff should remain vigilant and consider increasing the number of times per day you check the greyhounds.

Please notify GWIC of any cases of suspected infectious disease on your property via phone (13 49 42) or email ([vets@gwic.nsw.gov.au](mailto:vets@gwic.nsw.gov.au))

### WHAT IS THE DIFFERENCE BETWEEN ISOLATION AND QUARANTINE?

Separating contagious and healthy animals is a critical step in maintaining good biosecurity. Isolation involves the physical separation of the infected greyhounds from the rest of your healthy greyhounds.





Quarantine involves the physical separation of the greyhounds that have been exposed to a contagious disease and may become infectious themselves. Greyhounds in quarantine that start showing symptoms should be isolated.

Greyhounds should not be removed from quarantine until the maximum incubation time for the infection has passed with no symptoms. Your veterinarian can help to provide further advice.

Because many illnesses have an incubation period, you cannot always tell just by looking at an animal whether it has been infected and is incubating the disease. It can be useful to employ a "traffic light system" (see below) to identify which greyhounds pose a risk of infection and which are at risk of becoming infected.

Greyhounds in each of the groups (**red**, **amber**, **green**) should each have their own dedicated bowls, leads, muzzles etc. that are also colour coded, no equipment should be transferred between groups. Feeding, exercising or toileting greyhounds should occur from **green** first and finish with the **red** group.

Handling of **green** animals should not occur after **amber** or **red** animals without a thorough disinfection process.

Traffic Light Colour 	<b>Red</b> 	<b>Amber</b> 	<b>Green</b> 
<b>Identification</b>	All greyhounds showing clinical signs and those that have had the diagnosis confirmed by your veterinarian.	Greyhounds that have had contact with the Red group but are not showing any symptoms.	Greyhounds that have not had contact with either the Red or Amber group and are not showing any symptoms.
<b>Recommended action</b>	Isolate these animals.  Seek advice/treatment separate from veterinarian.	Keep separate from greyhounds in the Red and Green groups.  Monitor closely for signs of disease.	Keep separate from greyhounds in the Red and Amber groups to minimise risk of infection.  Monitor closely for signs of disease.



# FACT SHEET

## Biosecurity



### WHERE CAN I FIND INFORMATION ON CLEANING AND DISINFECTING?

Thorough cleaning of organic debris (faeces, urine and other secretions) before disinfecting the entire facility and all equipment is essential.

Your veterinarian will be able to advise you on the best products to use for disinfection. Following the exact instruction on the label is essential to the correct application of disinfectants.

### HOW ELSE CAN I HELP PROTECT AT RISK ANIMALS?

To minimise risk within your property:

- Consider avoiding potentially contaminated areas or putting healthy greyhounds in kennels where you know unwell greyhounds have been recently. These areas need to be thoroughly cleaned and disinfected.
- Wear protective clothing when working with affected greyhounds, prevent unnecessary contact between greyhounds and kennel staff.
- You can use disinfectant sprays on shoes or clothing that has some in contact with affected greyhounds.
- Kennel staff attending affected greyhounds should minimise contact with unaffected greyhounds. If handling both healthy affected greyhounds, handle the unwell animals last.



### HOW DO I MINIMISE THE RISK OF INFECTION ONTO OR OFF MY PROPERTY?

- Limit and quarantine all new arrivals to your kennels for at least 10 days.
- Avoid unnecessary movement of unwell greyhounds off the property.
- Scratch affected (**red**) and in-contact (**amber**) greyhounds from races to minimise the risk of them spreading infection within the club kennel blocks.
- Transport vehicles and shoes can be a common means of transmission of infectious disease. Ensure that you remove visible organic material before disinfecting. You can spray your tyres with disinfection agents, such as F10.
- Avoid all unnecessary movement of people and greyhounds onto and off your property during disease outbreaks.

### REPORT IT >>>>>>

A reportable disease refers to an infectious or contagious animal disease or condition that has the potential to cause widespread illness to greyhounds and negatively impact the greyhound racing industry.

The following are reportable diseases:

- any disease declared to be a "notifiable disease" under relevant legislation;
- Canine Adenovirus (hepatitis);
- Canine Coronavirus;
- Canine Distemper Virus;
- Kennel Cough;
- Canine Parvovirus;
- *Borrelia burgdorferi* (lyme disease).



email: [vets@gwic.nsw.gov.au](mailto:vets@gwic.nsw.gov.au)



13 49 42 (13 GWIC)